

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /SKM/

/Stephanie K. Mummert/

02/17/2009

Express Mail No.: EM 146 907 474 US

Sheet 1 of 3 of List of References

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO.	APPLICATION NO.
10589-012-999	10/543,033
APPLICANT	
Cao et al.	
FILING DATE	ART UNIT
July 21, 2005	1651

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR
-	A44	5,444,149	08/22/95	Keene et al.	
	A45	5,587,300	12/24/96	Malter	
	A46	5,698,427	12/16/97	Keene et al.	
	Λ47	5,731,343	03/24/98	Feng et al.	
	A48	6,635,671	10/21/03	Kastelic et al.	

		FOREIG	N PATENT DOCUMENTS		
	FOREIGN PATENT DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR	Т
B08	WO 98/39484	09/11/98	Scriptgen Pharmaceuticals, Inc.		!
В09	GB 9828709.7	12/24/98	Novartis AG		
B10	GB 9828707.1	12/24/98	Novartis AG		

Examiner	T		
Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	Т
	C193	AKASHI et al., 1994, "Number and Location of AUUUA Motifs: Role in Regulating Transiently Expressed RNAs." Blood 83:3182-3187 Am soc. Of Hemat.	
	C194	AUWERX et al., 1991, "The human leukemia cell line, THP-1: A multifaceted model for the study of monocyte-macrophage differentiation." Experientia 47:22-31 Birkhauser Verlag Basel	
	C195	BEUTLER et al., 1988, "Assay of Ribonuclease that preferentially hydrolyses mRNAs Containing Cytokine- Derived UA-Rich Instability Sequences." Biochem. Biophys Res. Commun. 152:973-980	
	C196	BRENCHLEY, 1998, "Antagonizing the expression of VEGF in pathological angiogenesis," Exp. Opin Ther. Patents 8(12): 1695-1706	
	C197	CHEN et al., 1994, "Selective Degradation of Early-Response-Gene mRNAs: Functional Analyses of Sequence Features of the AU-rich elements." Mol. Cell. Biol. 14: 8471-8482	
	C198	CHEN et al., 1995, "AU-rich elements: characterization and importance in mRNA degradation." TIBS 20:465-470	
	C199	CHO et al., 2002, "Emerging techniques for the discovery and validation of therapeutic targets for skeletal diseases" Expert Opin. Ther. Targets 6(6):679-689	

EXAMINER
NYI-4113940v1

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 2 of 3 of List of References

	ATTY. DOCKET NO.	APPLICATION NO.	
	10589-012-999	10/543,033	
LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	APPLICANT Cao et al.		
	FILING DATE July 21, 2005	ART UNIT	

		NON PATENT LITERATURE DOCUMENTS	
Examiner		(1.1.1. C.) (1.4.4. (CADITAL LETTER OF THE DATE OF THE	
nitials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
	C200	CRAWFORD et al., 1997, "The Role of 3' Poly (A) Tail Metabolism in Tumor Necrosis Factor-α Regulation," J	
	-	Biol. Chem. 272:21120-21127. The Am Soc of Biochem. And Molec. Biol. FAN et al., 1998, "Overepxression of HuR, a nuclear-cytoplasmic shuttling protein, increases <i>in vivo</i> stability of	ļ
	C201		
		ARE-containing mRNAS." EMBO J 17:3448-3460 FORYSTHE et al., 1996, "Activation of Vascular Endothelial Growth factor Gene Transcription by Hypoxia-	
	C202	Inducible Factor 1." Mol and Cell. Biol. 16(9):4604-4613	
		GIL et al., 1996, "Multiple regions of the <i>Arabidopsis</i> Saur-AC1 gene control transcript abundance: the 3'	├
	C203	untranslated region functions as an mRNA instability determinant." EMBO J 15:1678-1686	
	+	HEATON et al., 1998, "Cyclic Nucleotide Regulation of Type-1 Plasminogen Activator-Inhibitor mRNA	<u> </u>
	C204	stability in Rat Hepatoma Cells." J Biol. Chem. 273:14261-14268.	
		HYDER et al., 2000, "Identification of Functional Estrogen Response Elements in the Gene Coding for the	1
	C205	Potent Angiogenic Factor Vascular Endothelial Growth Factor," Cancer Res 60:3183-3190	
-	0206	IIDA et al., 2002, "Vascular endothelial growth factor gene expression in a retinal pigmented cell is up-regulated	
	C206	by glucose deprivation through 3' UTR." Life Sciences 71:1607-1614	
	C207	KLAUSNER et al., 1993, "Regulating the Fate of mRNA: The control of Cellular Iron Metabolism" Cell 72:19-	
	C207	28	
	C208	KOBAYASHI et al., 1998, "Characterization of the 3' Untranslated region of mouse DNA topoisomerase IIα	<u> </u>
	C208	mRNA," Gene 215:329-337	
	C209	LAGNADO et al., 1994, "AUUUA is Not sufficient to promote Poly(A) Shortening and Degradation of mRNA:	1
	C209	the Functional Sequence within the AU-rich elements may be UUAUUUA(U/A) (U/A)" Mol. Cell. Biol. 14:	
		7984-7995	
	C210	LEVY et al., 1995, "Sequence and functional characterization of the terminal exon of the human insulin receptor	T
	1 0210	gene." Biochem Biophys Acta 1263:253-257	
	C211	LEVY et al., 1996, "Post-transcriptional Regulation of Vascular Endothelial Growth Factor by Hypoxia." J.	
	0211	Biol. Chem. 271:2746-2753	
	C212		1
	10212	Protein HuR." J Biol. Chem. 273(11):6417-6423	
	C213	LEWIS et al., 1998, "Mapping of a Minimal AU-rich Sequence Required for Lipopolysaccharide-induce binding	1
	02.13	of a 55-kDA protein on tumor necrosis Factor-α mRNA." J Biol. Chem. 273:13781-13786	
	C214	NANBU et al., 1994, "Multiple Instability-Regulating Sites in the 3'Untranslated Region of the Urokinase-Type	
	02.11	Plasminogen activator mRNA." Mol. Cell. Biol. 14:4920-4928	1
	C215	<u> </u>	1
	- 		+
	C216	Molec. cloning 16:3316-37	ı
	6015	SHAW & KAMEN, 1986, "A conserved AU sequence from the 3' Untranslated Region of GM-CSF mRNA	+
	C217	mediates selective mRNA degradation." Cell 46:659-667	
		CTTYL 1 1001 (m. 1) 1 1 1 1 1 1 1 C	+
	C218	in rapid mRNA decay." Genes Dev 5:221-231	
			+-
	C219	decay." J Biol. Chem. 269:28591-28597	

EXAMINER NYI-4113940v1	ATE CONSIDERED
---------------------------	----------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 3 of 3 of List of References

LIST OF REFERENCES CITED BY APPLICANT


(Use several sheets if necessary)

ATTY. DOCKET NO.	APPLICATION NO.
10589-012-999	10/543,033
APPLICANT	
Cao et al.	
FILING DATE	ART UNIT
July 21, 2005	1651
	10589-012-999

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	Т	
	C220	STOLLE et al., 1988, "Cellular Factor affecting the stability of β-globin mRNA." Gene 62:65-74		
	C221	SULLIVAN et al., 1996, "Mutational analysis of the DST element in tobacco cells and transgenic plants: Identification of residues critical for mRNA instability," RNA 2:308-315		
	C222	WINSTALL et al., 1995, "Rapid mRNA Degradation Mediated by the c-fos 3' AU-Rich element and that mediated by the Granulocyte-Macrophage Colony-Stimulating Factor 4' AU-Rich Element occur through similar Polysome-Associated Mechanisms" Mol. Cell. Biol. 15:3796-3804		
	C223	XU et al., 1997, "Modulation of the Fate of Cytoplasmic mRNA by AU-Rich elements key sequence Features Controlling mRNA Deadenylation and Decay." Mol. Cell. Biol. 17:4611-4621		
	C224	ZHANG et al., 1996, "An enhanced green fluorescent protein allows sensitive detection of gene transfer in mammalian cells." BBRC 227:707-11		
	C225	ZHANG et al., 1995, "Identification and Characterization of a Sequence motif involved in nonsense-mediated mRNA decay" Mol. Cell. Biol. 15:2231-2244		
	C226			
	C227	10 10 10 10 10 10 10 10 10 10 10 10 10 1		

EXAMINER	
NYI-4113940v1	

DATE CONSIDERED



Sheet 1 of 3 of List of References

OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO. 10589-012-999 10/543,033

APPLICANT
Cao et al.

FILING DATE ART UNIT

NOV 1 7 2008

	July 21, 2005	1651
*		

U.S. PATENT DOCUMENTS

INITIAL		DOCUMENT NUMBER	DATE	NAME	RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR
	A44	5,444,149	08/22/95	Keene et al.	
	A45	5,587,300	12/24/96	Malter	
	A46	5,698,427	12/16/97	Keene et al.	
	A47	5,731,343	03/24/98	Feng et al.	
	A48	6,635,671	10/21/03	Kastelic et al.	

FOREIGN PATENT DOCUMENTS

	FOREIGN PATENT DOCUMENT COUNTRY CODE, NUMBER, KIND CODE (IF KNOWN)	DATE	NAME	PAGES, COLUMNS, LINES, WHERE RELEVANT PASSAGES OR RELEVANT FIGURES APPEAR	т
B08	WO 98/39484	09/11/98	Scriptgen Pharmaceuticals, Inc.		
 B09	GB 9828709.7	12/24/98	Novartis AG		
B10	GB 9828707.1	12/24/98	Novartis AG		

NON PATENT LITERATURE DOCUMENTS

Examiner			
Initials	l	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T
	C193	AKASHI et al., 1994, "Number and Location of AUUUA Motifs: Role in Regulating Transiently Expressed RNAs." Blood 83:3182-3187 Am soc. Of Hemat.	
	C194	The state of the s	
	C195	BEUTLER et al., 1988, "Assay of Ribonuclease that preferentially hydrolyses mRNAs Containing Cytokine- Derived UA-Rich Instability Sequences." Biochem. Biophys Res. Commun. 152:973-980	
	C196	BRENCHLEY, 1998, "Antagonizing the expression of VEGF in pathological angiogenesis," Exp. Opin Ther. Patents 8(12): 1695-1706	
	C197	CHEN et al., 1994, "Selective Degradation of Early-Response-Gene mRNAs: Functional Analyses of Sequence Features of the AU-rich elements." Mol. Cell. Biol. 14: 8471-8482	
	C198	CHEN et al., 1995, "AU-rich elements: characterization and importance in mRNA degradation." TIBS 20:465-470	
	C199	CHO et al., 2002, "Emerging techniques for the discovery and validation of therapeutic targets for skeletal diseases" Expert Opin. Ther. Targets 6(6):679-689	

EXAMINER NYI-4113940v1

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 2 of 3 of List of References

ATTY. DOCKET NO. 10589-012-999 10/543,033

APPLICANT (Use several sheets if necessary)

1 m	<i>\$</i> /					
TRABEMARK		NON PATENT LITERATURE DOCUMENTS				
Examiner			<u></u>			
Initials	<u> </u>	(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	T			
	C200	CRAWFORD et al., 1997, "The Role of 3' Poly (A) Tail Metabolism in Tumor Necrosis Factor-α Regulation," J Biol. Chem. 272:21120-21127. The Am Soc of Biochem. And Molec. Biol.				
	C201	FAN et al., 1998, "Overepxression of HuR, a nuclear-cytoplasmic shuttling protein, increases in vivo stability of				
	+	ARE-containing mRNAS." EMBO J 17:3448-3460 FORYSTHE et al., 1996, "Activation of Vascular Endothelial Growth factor Gene Transcription by Hypoxia-	├			
	C202	Inducible Factor 1." Mol and Cell. Biol. 16(9):4604-4613				
	C203	GIL et al., 1996, "Multiple regions of the Arabidopsis Saur-AC1 gene control transcript abundance: the 3'	1			
	0203	untranslated region functions as an mRNA instability determinant." EMBO J 15:1678-1686	j			
	C204	HEATON et al., 1998, "Cyclic Nucleotide Regulation of Type-1 Plasminogen Activator-Inhibitor mRNA	T			
		stability in Rat Hepatoma Cells." J Biol. Chem. 273:14261-14268.				
	C205	THE PROPERTY OF THE PROPERTY O				
	0203	Potent Angiogenic Factor Vascular Endothelial Growth Factor," Cancer Res 60:3183-3190				
	C206	IIDA et al., 2002, "Vascular endothelial growth factor gene expression in a retinal pigmented cell is up-regulated				
	0200	by glucose deprivation through 3' UTR." Life Sciences 71:1607-1614				
	C207	KLAUSNER et al., 1993, "Regulating the Fate of mRNA: The control of Cellular Iron Metabolism" Cell 72:19-				
	0207	28				
	C208	KOBAYASHI et al., 1998, "Characterization of the 3' Untranslated region of mouse DNA topoisomerase IIa				
	"-""	mRNA," Gene 215:329-337				
	C209	LAGNADO et al., 1994, "AUUUA is Not sufficient to promote Poly(A) Shortening and Degradation of mRNA:				
	0207	the Functional Sequence within the AU-rich elements may be UUAUUUA(U/A) (U/A)" Mol. Cell. Biol. 14:				
		7984-7995				
	C210	LEVY et al., 1995, "Sequence and functional characterization of the terminal exon of the human insulin receptor				
		gene." Biochem Biophys Acta 1263:253-257				
	C211	LEUN - 1 1000 (FD - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				
		Biol. Chem. 271:2746-2753				
	C212					
	+	Protein HuR." J Biol. Chem. 273(11):6417-6423	+-			
	C213	LEWIS et al., 1998, "Mapping of a Minimal AU-rich Sequence Required for Lipopolysaccharide-induce binding of a 55-kDA protein on tumor necrosis Factor-α mRNA." J Biol. Chem. 273:13781-13786	1			
		21421011 - 1 1004 (0.4 lc l l l l l l' l' l l l l l' l l l l l	+			
	C214	Plasminogen activator mRNA." Mol. Cell. Biol. 14:4920-4928				
	6016		+			
	C215		<u> </u>			
	C216					
		Molec. cloning 16:3316-37				
	C217	SHAW & KAMEN, 1986, "A conserved AU sequence from the 3' Untranslated Region of GM-CSF mRNA	1			
		mediates selective mRNA degradation." Cell 46:659-667	\perp			
	C218	SHYU et al., 1991, "Two distinct destabilizing elements in the c-fos message trigger deadenylation as a first step				
		in rapid mRNA decay." Genes Dev 5:221-231				
	C219					
		decay." J Biol. Chem. 269:28591-28597				

EXAMINER NYI-4113940vI	DATE CONSIDERED
---------------------------	-----------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 3 of 3 of List of References

OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

APPLICATION NO.

10589-012-999

ATTY. DOCKET NO.

10/543,033

APPLICANT

Cao et al.

FILING DATE

ART UNIT

July 21, 2005

1651

NON PATENT LITERATURE DOCUMENTS

Examiner Initials		(Include name of the author (in CAPITAL LETTERS), Title, Date, Pertinent Pages, Etc.)	Т
	C220	STOLLE et al., 1988, "Cellular Factor affecting the stability of β-globin mRNA." Gene 62:65-74	
	C221	SULLIVAN et al., 1996, "Mutational analysis of the DST element in tobacco cells and transgenic plants: Identification of residues critical for mRNA instability," RNA 2:308-315	
	C222	WINSTALL et al., 1995, "Rapid mRNA Degradation Mediated by the c-fos 3' AU-Rich element and that mediated by the Granulocyte-Macrophage Colony-Stimulating Factor 4' AU-Rich Element occur through similar Polysome-Associated Mechanisms" Mol. Cell. Biol. 15:3796-3804	
	C223	XU et al., 1997, "Modulation of the Fate of Cytoplasmic mRNA by AU-Rich elements key sequence Features Controlling mRNA Deadenylation and Decay." Mol. Cell. Biol. 17:4611-4621	
	C224	ZHANG et al., 1996, "An enhanced green fluorescent protein allows sensitive detection of gene transfer in mammalian cells." BBRC 227:707-11	
	C225	ZHANG et al., 1995, "Identification and Characterization of a Sequence motif involved in nonsense-mediated mRNA decay" Mol. Cell. Biol. 15:2231-2244	
	C226	Written Opinion of the International Searching Authority dated July 14, 2008 in the PCT Application No. PCT/US04/01643 filed January 21, 2004	
. 1	C227	International Search Report dated July 14, 2008 in the PCT Application No. PCT/US04/01643 filed January 21, 2004	

EXAMINER NYI-4113940vI

NOV 1 7 2008

DATE CONSIDERED